

Shades With Net

Rfcb109

TOROSPLAY



Serial number	Rfcb109
Product line	Climb & Balance
Dimensions	≈ 798 * 464 cm
Height	≈ 245 cm
FFH	125 cm
In accordance with norm EN	EN1176:17
Age group	5 +
Key user group	5 – 12 years
Inclusive	No
Number of users	12

Warranty

10

10-year guarantee - Coverage includes structural failure of the robinia components and structures.

5

5-year guarantee - Structural strength of steel and stainless steel components

2


2-year guarantee - Structural failure of high density polyethylene and plastic components


Check the warranty card for more information

Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

Activities








This playground structure is made of wooden poles, rope elements, and a fabric sunshade. It includes climbing nets, balance beams, and stepping posts for active play. The interconnected rope and wood components encourage coordination and motor skill development. A suspended canopy provides shade, making it suitable for sunny outdoor areas. The design offers a mix of climbing, balancing, and agility challenges for children.

Cargo details



On a single pallet: 140*400*160 cm / 270 kgs.



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:
Wide color pallet to choose colors from
We use only certified EN71 chemical free paints



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm
PP-Multifilament & split film
Or Braided nylon
Steel core – highest quality



Rope color options



Solid T and X connector ensure the
Durability of the nets we produce

Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

TOROSPLAY

Surfaces according to EN 1176-1:2017



Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrete			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark	20 - 80 mm grain size broken bark of conifers	200	≤ 2000
			300	≤ 3000
6.	wood chips	5 - 30 mm grain size mechanically broken wood, without bark and leaf components	200	≤ 2000
			300	≤ 3000
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

Installation method Type A: ≈ 1,8 m³ concrete into the ground

