Adventure Peak

Rfmt117





Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone

Activities













Serial number	Rfmt117	
Product line	Robinia Multiplay	
Dimensions	≈ 344 * 300 cm	
Height	≈ 375 cm	
FFH	200 cm	
In accordance with norm EN	EN1176:17	
Age group	3+	
Key user group 3 – 8 years		
Inclusive	No	
Number of users	10	
Platform height	100 cm	

Warranty



10-year guarantee - Coverage includes structural failure of the robinia components and structures.



5-year guarantee - Structural strength of steel and stainless steel components



2-year guarantee - Structural failure of high density polyethylene and plastic components

Check the warranty card for more information



Options



Stainless steel slide - The high quality of the materials used and solid welding guarantees high resistance to mechanical damage - 2 mm thick sheet metal, steel pipe fi 33,7 mm, durable linear welding.



Rope handles attached to a specific stainless steel hardware.



The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.





Inclined robinia ramp with 6 holding grips attached to each board







A vertical climbing net that provides a more adventurous climbing experience


GRP slide with HDPE side panels. Suitable for places with direct sunlight.








Cargo details



On a single pallet: -

Torosplay Ltd.

Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone



The playground equipment features a wooden structure with various play components. It includes a red slide, a vertical climbing net, a vertical wall for climbing, and an overhead green canopy for shade. The setup is designed to provide a fun and engaging play experience for children. It includes GRP plastic slide with with HDPE side panels which can be substituted with a stainless steel as an option. The climbing net works as an exercise for kids ability to climb and enter into smaller spaces improving spatial awareness and muscles.





The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:
Wide color pallet to choose colors from
We use only certified EN71 chemical free
paints



Robinia boards – 9/14 * 2,5. Sanded, chamfered R=5mm, Quality – A,B



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm
PP-Multifilament & split film
Or Braided nylon
Steel core – highest quality



Solid T and X connector ensure the Durability of the nets we produce












Surfaces according to EN 1176-1:2017




Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrate			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	la - vla	20 - 80 mm grain	200	≤ 2000
	bark	size borken bark of conifers	300	≤ 3000
6.	5 - 30 mm grain size mechanically wood chips broken wood, with- out bark and leaf components	size mechanically chips broken wood, with-	200	≤ 2000
		300	≤ 3000	
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

Installation method Type A: ≈ 1,3 m³ concrete into the ground



Installation method Type B: Anchoring



Torosplay Ltd.

Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone