## **Summit Slide Tower**

#### **Rfmt119**



### Torosplay Ltd.

Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone

#### Activities













Serial number	Rfmtll9	
Product line	Robinia Multiplay	
Dimensions	≈ 328 * 169 cm	
Height	≈ 346 cm	
FFH	100 cm	
In accordance with norm EN	EN1176:17	
Age group	3+	
Key user group	3 – 8 years	
Inclusive	No	
Number of users	8	
Platform height	100 cm	

### Warranty

10

**10-year guarantee** - Coverage includes structural failure of the robinia components and structures.



**5-year guarantee -** Structural strength of steel and stainless steel components



**2-year guarantee -** Structural failure of high density polyethylene and plastic components

Check the warranty card for more information



### Options



Stainless steel slide - The high quality of the materials used and solid welding guarantees high resistance to mechanical damage - 2 mm thick sheet metal, steel pipe fi 33,7 mm, durable linear welding.



Rope handles attached to a specific stainless steel hardware.




The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.





Inclined robinia ramp with 6 holding grips attached to each board






GRP slide with HDPE side panels. Suitable for places with direct sunlight.








The Summit Slide Tower is a tall, wooden playground structure designed with a green gable roof, giving it a house-like appearance. It features a wide, vibrant red slide descending from the raised platform, which is surrounded by wooden railings and red safety ropes for added security. A netted climbing ramp is positioned on one side, offering an alternative way to reach the platform. The vertical wooden pillars provide sturdy support, while the open design allows for visibility and airflow. This structure combines climbing, sliding, and imaginative play in one compact and engaging form.

#### Cargo details



On a single pallet: -



#### Torosplay Ltd.

Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone





The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own: Wide color pallet to choose colors from We use only certified EN71 chemical free paints



Robinia boards – 9/14 \* 2,5. Sanded, chamfered R=5mm, Quality – A,B



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm
PP-Multifilament & split film
Or Braided nylon
Steel core – highest quality



Solid T and X connector ensure the Durability of the nets we produce












# **Surfaces according to EN 1176-1:2017**




Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrate			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark 20 - 80 mm grain size borken bark of conifers 300		200	≤ 2000
		300	≤ 3000	
6.	5 - 30 mm grain size mechanically wood chips broken wood, with- out bark and leaf components	size mechanically broken wood, with-	200	≤ 2000
		300	≤ 3000	
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

# Installation method Type A: ≈ 1,3 m3 concrete into the ground



# **Installation method Type B: Anchoring**



#### Torosplay Ltd.

Bulgaria 8000, Burgas 55 "Kraina" Street South Industrial Zone