

Rfs102

**TOROSPLAY**



Serial number	Rfs102
Product line	Swings
Dimensions	≈ 310 * 140 cm
Height	≈ 277 cm
FFH	120 cm
In accordance with norm EN	EN1176:17
Age group	3 +
Key user group	3 – 8 years
Inclusive	No
Number of users	3
Swings height	48 cm

## Warranty

**10**

**10-year guarantee** - Coverage includes structural failure of the robinia components and structures.

**5**

**5-year guarantee** - Structural strength of steel and stainless steel components

**2**

**2-year guarantee** - Structural failure of high density polyethylene and plastic components

Check the warranty card for more information

**Torosplay Ltd.**

Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone

## Activities







This is a round net swing with a sturdy rope frame and a woven net seating area, suspended by four strong ropes connected to metal chains at the top. Its durable design provides a comfortable and secure swinging experience, making it ideal for playgrounds and outdoor play areas.



**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone




This playground equipment features a wooden A-frame swing set with a single nest swing. The swing has a circular, web-like seat supported by metal chains, offering a spacious and secure area for children to sit or lie down. The natural wooden frame enhances its sturdy, rustic look, making it blend well with outdoor spaces. The nest swing design allows multiple children to use it at once, promoting group play. Its simple, durable structure ensures both safety and fun for children.

### Cargo details



On a single pallet: 300\*120\*60 / 220 kg




**Torosplay Ltd.**  
 Bulgaria  
 8000, Burgas  
 55 "Kraina" Street  
 South Industrial Zone



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:  
Wide color pallet to choose colors from  
We use only certified EN71 chemical free paints



Swing hook is suitable for both round and square wood. The length of the threaded bar is M12 x 160 mm.



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm  
PP-Multifilament & split film  
Or Braided nylon  
Steel core – highest quality



Rope color options



Solid T and X connector ensure the Durability of the nets we produce



This is a durable metal chain, likely made of galvanized or stainless steel, designed for swing sets and other heavy-duty applications.


**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone

**TOROSPLAY**

## Surfaces according to EN 1176-1:2017

Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrete			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark	20 - 80 mm grain size borken bark of conifers	200	≤ 2000
			300	≤ 3000
6.	wood chips	5 - 30 mm grain size mechanically broken wood, without bark and leaf components	200	≤ 2000
			300	≤ 3000
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

### Installation method Type A: ≈ 1,3 m<sup>3</sup> concrete into the ground



### Installation method Type B: Anchoring

