Rfs103

Serial number	Rfs103
Product line	Swings
Dimensions	≈ 660 * 140 cm
Height	≈ 277 cm
FFH	120 cm
In accordance with norm EN	EN1176:17
Age group	3 +
Key user group	3 – 8 years
Inclusive	No
Number of users	5
Swings height	42 cm / 48 cm

Warranty

10 **10-year guarantee** - Coverage includes structural failure of the robinia components and structures.

5 **5-year guarantee -** Structural strength of steel and stainless steel components

2 **2-year guarantee -** Structural failure of high density polyethylene and plastic components

Check the warranty card for more information

Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

Activities

The rubber swing seat is made using injection-molded thermoplastic elastomer (TPE) and features a reinforced insert made from injection-molded polyamide (PA). The chain includes a D-shackle at the top. Both the seat and the chain can be purchased separately.

This is a round net swing with a sturdy rope frame and a woven net seating area, suspended by four strong ropes connected to metal chains at the top. Its durable design provides a comfortable and secure swinging experience, making it ideal for playgrounds and outdoor play areas.

Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone



This swing set is made from Robinia wood, known for its strength and weather resistance. The A-frame design, featuring untreated logs, gives it a rustic, sturdy appearance. Two swings hang from metal chains attached to the horizontal beam, each with a simple, flat seat. Its minimalistic design emphasizes functionality and durability.

Cargo details

On a single pallet: 320*120*140 / 430 kg



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.

Design your own:
Wide color pallet to choose colors from
We use only certified EN71 chemical free paints



Swing hook is suitable for both round and square wood. The length of the threaded bar is M12 x 160 mm.

Robinia poles 14 – 22 cm in diameter, best possible quality, sanded

16 and 18 mm
PP-Multifilament & split film
Or Braided nylon
Steel core – highest quality

Rope color options

Solid T and X connector ensure the Durability of the nets we produce

This is a durable metal chain, likely made of galvanized or stainless steel, designed for swing sets and other heavy-duty applications.

Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

TOROSPLAY

Surfaces according to EN 1176-1:2017

№	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrate			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark	20 - 80 mm grain size borken bark of conifers	200	≤ 2000
			300	≤ 3000
6.	wood chips	5 - 30 mm grain size mechanically broken wood, without bark and leaf components	200	≤ 2000
			300	≤ 3000
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

Installation method Type A: ≈ 1,3 m3 concrete into the ground



Installation method Type B: Anchoring



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone