


The Ultimate Challenge Course

Rfcb110

TOROSPLAY



Serial number	Rfmt110
Product line	Climb & Balance
Dimensions	502 * 230 cm
Height	≈ 240 cm
FFH	200 cm
In accordance with norm EN	EN1176:17
Age group	3 +
Key user group	3 – 10 years
Inclusive	No
Number of users	23
Platform height	30 cm / 48 cm

Warranty

10

10-year guarantee - Coverage includes structural failure of the robinia components and structures.

5

5-year guarantee - Structural strength of steel and stainless steel components

2

2-year guarantee - Structural failure of high density polyethylene and plastic components


Check the warranty card for more information



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone

Activities



Options





This innovative play structure is designed to challenge and develop a wide range of children's physical and cognitive skills through a series of interconnected elements. It begins with a single-beam bridge, where children must carefully balance as they cross, enhancing their focus and coordination. From there, they step onto a suspension rope bridge with wooden logs, which tests their strength and endurance as they navigate the wobbly, uneven steps.


As they progress, they encounter a bridge with moving steps attached to ropes, requiring them to adapt to the shifting path, further refining their balance and problem-solving abilities. Finally, the structure culminates with a monkey bar section, where children build upper body strength, grip, and coordination as they swing from bar to bar.

Each component seamlessly flows into the next, creating a cohesive and engaging experience that promotes physical development, confidence, and a sense of accomplishment in a fun and interactive way.

Cargo details



On a single pallet: 140*400*160 cm / 475 kgs.



Torosplay Ltd.

Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:
Wide color pallet to choose colors from
We use only certified EN71 chemical free paints



Robinia boards – 9/14 * 2,5.
Sanded, chamfered R=5mm,
Quality – A,B



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm
PP-Multifilament & split film
Or Braided nylon
Steel core – highest quality



Solid T and X connector ensure the
Durability of the nets we produce



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone


TOROSPLAY

Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20	30	≤200
		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Fill in Tested according to EN 1177		100

TOROSPLAY

Installation method Type A: ≈ 1,3 / 3 m3 concrete into the ground



Installation method Type B: Anchoring



Torosplay Ltd.
Bulgaria
8000, Burgas
55 "Kraina" Street
South Industrial Zone