

Rfs111



Serial number	Rfs111
Product line	Swings
Dimensions	≈ 536 * 509 cm
Height	≈ 260 cm
FFH	120 cm
In accordance with norm EN	EN1176:17
Age group	3 +
Key user group	3 – 8 years
Inclusive	No
Number of users	5
Swings height	46 cm

Warranty

- 10

**10-year guarantee** - Coverage includes structural failure of the robinia components and structures.
- 5

**5-year guarantee** - Structural strength of steel and stainless steel components
- 2

**2-year guarantee** - Structural failure of high density polyethylene and plastic components

Check the warranty card for more information

Torosplay Ltd.  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone


Activities





The rubber swing seat is made using injection-molded thermoplastic elastomer (TPE) and features a reinforced insert made from injection-molded polyamide (PA). The chain includes a D-shackle at the top. Both the seat and the chain can be purchased separately.

**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone




This playground swing set is a pentagon-shaped structure supported by five wooden posts, each connected by horizontal beams. It features five swings, each hanging from metal chains attached to the beams, with flat seats evenly distributed around the pentagon. The geometric design allows multiple children to swing simultaneously while enjoying a group play experience. The natural wooden posts and beams give the structure a rustic and durable appearance, blending well into outdoor settings. This unique pentagon arrangement offers both functionality and visual appeal, encouraging social interaction and fun.

## Cargo details



On a single pallet: 300\*140\*140 / 730 kg



**Torosplay Ltd.**


Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:  
Wide color pallet to choose colors from  
We use only certified EN71 chemical free paints



Swing hook is suitable for both round and square wood. The length of the threaded bar is M12 x 160 mm.



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm  
PP-Multifilament & split film  
Or Braided nylon  
Steel core – highest quality



Rope color options



Solid T and X connector ensure the Durability of the nets we produce



This is a durable metal chain, likely made of galvanized or stainless steel, designed for swing sets and other heavy-duty applications.

**Torosplay Ltd.**

Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone


**TOROSPLAY**

## Surfaces according to EN 1176-1:2017


**TOROSPLAY**

Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrete			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark	20 - 80 mm grain size borken bark of conifers	200	≤ 2000
			300	≤ 3000
6.	wood chips	5 - 30 mm grain size mechanically broken wood, without bark and leaf components	200	≤ 2000
			300	≤ 3000
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

### Installation method Type A: ≈ 1,3 m<sup>3</sup> concrete into the ground



### Installation method Type B: Anchoring



**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone