

# The Playful Crab

Rfa111

**TOROSPLAY**



Serial number	Rfa111
Product line	Aquatica
Dimensions	≈ 576 * 461 cm
Height	≈ 265 cm
FFH	200 cm
In accordance with norm EN	EN1176:17
Age group	3 +
Key user group	3 – 8 years
Inclusive	No
Number of users	12
Platform height	150 cm

## Warranty

**10**

**10-year guarantee** - Coverage includes structural failure of the robinia components and structures.

**5**

**5-year guarantee** - Structural strength of steel and stainless steel components

**2**

**2-year guarantee** - Structural failure of high density polyethylene and plastic components

Check the warranty card for more information

**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone

## Activities





The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.



GRP slide with HDPE side panels. Suitable for places with direct sunlight.

#### **Torosplay Ltd.**


Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone

# TOROSPLAY

## Options




Stainless steel slide - The high quality of the materials used and solid welding guarantees high resistance to mechanical damage - 2 mm thick sheet metal, steel pipe fi 33,7 mm, durable linear welding.



Horizontal bars for climbing.

This playground structure resembles a cheerful crab, aligning perfectly with an aquatic theme. The central body is elevated, mimicking the crab's shell, while the extended "legs" provide multiple climbing and balancing routes for children. Playful details like eyes and pincers add personality, making it inviting and engaging. Ropes and angled beams between the legs enhance the climbing experience, encouraging physical activity and exploration. Its vibrant colors and imaginative design make it a standout piece, ideal for sparking seaside adventures.




## Cargo details



6 meters of a trucks.

**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone





The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance. This robust construction guarantees long-lasting performance even in harsh environments.



Design your own:  
Wide color pallet to choose colors from  
We use only certified EN71 chemical free paints



Robinia boards – 9/14 \* 2,5.  
Sanded, chamfered R=5mm,  
Quality – A,B



Robinia poles 14 – 22 cm in diameter, best possible quality, sanded



16 and 18 mm  
PP-Multifilament & split film  
Or Braided nylon  
Steel core – highest quality



Rope color options



Solid T and X connector ensure the  
Durability of the nets we produce



**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone


**TOROSPLAY**

## Surfaces according to EN 1176-1:2017


**TOROSPLAY**

Nº	Material	Description	min. layer thickness mm	max. fall height mm
1.	concrete			≤ 600
2.	asphalt			≤ 600
3.	topsoil			≤ 1000
4.	turf			≤ 1500
5.	bark	20 - 80 mm grain size broken bark of conifers	200	≤ 2000
			300	≤ 3000
6.	wood chips	5 - 30 mm grain size mechanically broken wood, without bark and leaf components	200	≤ 2000
			300	≤ 3000
7.	sand		200	≤ 2000
			300	≤ 3000
8.	gravel		200	≤ 2000
			300	≤ 3000
9.	other		according to producer	≤ 3000

### Installation method Type A: ≈ 1,3 m<sup>3</sup> concrete into the ground



### Installation method Type B: Anchoring



**Torosplay Ltd.**  
Bulgaria  
8000, Burgas  
55 "Kraina" Street  
South Industrial Zone